










Product	Manufacturer	Width (mm)	Depth (mm)	Weight (kg)	UNIT	Prod. No.	3PMSF / M+S marking	
GT 11	AVON	230	15,0	13,43	3,3 m	2991	3PMSF	
	AVON	240	15,0	13,99	3,3 m	2992	3PMSF	
	AVON	250	15,0	14,53	3,3 m	2993	3PMSF	
	AVON	260	15,0	14,94	3,3 m	2994	3PMSF	
	AVON	275	15,0	15,56	3,3 m	2995	3PMSF	
GT 11W	AVON	230	15,0	13,61	3,3 m	2021003	3PMSF	
	AVON	240	15,0	14,23	3,3 m	2021004	3PMSF	
	AVON	250	15,0	14,76	3,3 m	2021005	3PMSF	
	AVON	260	15,0	15,14	3,3 m	2021006	3PMSF	
	AVON	275	15,0	15,87	3,3 m	2021007	3PMSF	
GT 12	ITG	130	11,0	5,74	3,3 m	2743		
	ITG	140	11,0	6,47	3,3 m	2744		
	ITG	160	11,0	7,66	3,3 m	2746		
	ITG	170	11,0	7,80	3,3 m	2747		
	ITG	180	11,5	7,90	3,3 m	2757		
	ITG	190	11,9	8,07	3,3 m	2758		
	ITG	200	12,5	9,11	3,3 m	2958		
	ITG	210	12,5	10,23	3,3 m	2881		
	ITG	225	12,5	12,28	3,3 m	2755		
	ITG	235	12,5	12,31	3,3 m	2754		
	ITG	245	12,5	12,50	3,3 m	2768		
	ITG	225	12,5	11,05	2,97 m	2961		
	ITG	235	12,5	11,08	2,97 m	2962		
	ITG	260	14,5	15,51	3,3 m	2963		
	AVON	200	12,0	28,81	10,1 m	2021022		
	AVON	210	12,0	30,89	10,1 m	2021023		
	AVON	220	13,5	33,68	10,1 m	2021019		
	GT 12 W	AVON	220	13,5	11,23	3,3 m	2021012	
	AVON	230	13,5	11,58	3,3 m	2021008		
	AVON	240	13,5	12,18	3,3 m	2021009		
AVON	250	14,0	13,04	3,3 m	2021010			
AVON	260	14,0	13,33	3,3 m	2021011			
AVON	220	13,5	33,96	10 m	2021017			
AVON	230	13,5	34,97	10 m	20210081			











	Product	Manufacturer	Width (mm)	Depth (mm)	Weight (kg)	UNIT	Prod. No.	3PMSF / M+S marking
	GT 14 W	AVON	295	14,5	16,59	3,3 m	2930	
		AVON	310	14,5	17,55	3,3 m	2931	
	GT 16 W	AVON	295	14,5	17,18	3,3 m	3056	3PMSF
		AVON	310	14,5	17,80	3,3 m	30561	3PMSF
		AVON	330	14,5	18,91	3,3 m	3057	3PMSF
		AVON	330	14,5	17,76	3,1 m	202678593	3PMSF
	GT 18 W	AVON	380	13,0	20,20	3,3 m	30533	
		AVON	380	13,0	61,11	10 m	305331	
	GT 20 W	AVON	200	12,0	29,15	10 m	2933	
		AVON	250	14,0	40,00	10 m	2860	





	Product	Manufacturer	Width (mm)	Depth (mm)	Weight (kg)	UNIT	Prod. No.	3PMSF / M+S marking
	GT 21	AVON	220	21,0	15,47	3,3 m	2872	M+S
		AVON	230	21,0	15,90	3,3 m	2873	M+S
		AVON	240	21,0	16,74	3,3 m	2874	M+S
		AVON	250	21,0	17,64	3,3 m	2875	M+S
		AVON	260	21,0	18,33	3,3 m	2876	M+S
		MIDAS	270	18,0	17,80	3,3 m	2031004MIDAS	M+S
	GT 23	AVON	230	20,0	16,79	3,3 m	30001	M+S
		AVON	240	20,0	17,26	3,3 m	30002	M+S
		AVON	250	20,0	17,82	3,3 m	30003	M+S
		AVON	260	20,0	18,41	3,3 m	30004	M+S
		AVON	275	20,0	19,91	3,3 m	30005	M+S
	GT 24 A-RD7500	AVON	260	20,0	18,34	3,3 m	202678629	M+S
	GT 29	AVON	260	20,0	18,10	3,3 m	202678703	3PMSF
		AVON	275	20,0	19,00	3,3 m	202678704	3PMSF
		AVON	275	20,0	18,24	3,2 m	202678734	3PMSF

Product	Manufacturer	Width (mm)	Depth (mm)	Weight (kg)	UNIT	Prod. No.	3PMSF / M+S marking
	ITG	175	14,0	10,00	3,3 m	30030	3PMSF / nastoitettu / studdable
	ITG	190	15,0	11,18	3,3 m	30031	3PMSF / nastoitettu / studdable
	ITG	210	16,0	13,30	3,3 m	30032	3PMSF / nastoitettu / studdable
	AVON	230	20,0	14,44	3,3 m	3054	3PMSF
	AVON	240	20,0	15,02	3,3 m	3050	3PMSF
	AVON	250	20,0	15,47	3,3 m	3051	3PMSF
	AVON	260	20,0	16,21	3,3 m	3052	3PMSF
	AVON	260	20,0	15,46	3,1 m	202678594	3PMSF
	AVON	275	20,0	17,32	3,3 m	3053	3PMSF
	AVON	275	20,0	16,27	3,1 m	202678595	3PMSF
		AVON	230	20,0	15,95	3,3 m	2877
AVON		240	20,0	16,41	3,3 m	2878	M+S
AVON		250	20,0	17,28	3,3 m	2879	M+S
AVON		260	20,0	18,00	3,3 m	2880	M+S
	AVON	180	15,0	10,52	3,3 m	30006	M+S
	AVON	190	15,0	11,06	3,3 m	30007	M+S
	AVON	210	16,0	13,07	3,3 m	30008	M+S
	AVON	230	18,0	15,50	3,3 m	30009	M+S
	AVON	240	17,0	14,77	3,3 m	2998	M+S
	AVON	250	17,0	15,56	3,3 m	3000	M+S
	AVON	260	17,0	16,18	3,3 m	3001	M+S
	AVON	275	18,0	17,23	3,3 m	3002	M+S






	Product	Manufacturer	Width (mm)	Depth (mm)	Weight (kg)	UNIT	Prod. No.	3PMSF / M+S marking
	GT 37	ITG	120	11,5	5,15	3,3 m	2717	M+S
		ITG	130	11,0	5,47	3,3 m	2718	M+S
		ITG	140	13,0	6,51	3,3 m	2720	M+S
		ITG	150	13,0	6,81	3,3 m	2721	M+S
		ITG	165	16,0	9,93	3,3 m	2723	M+S
		ITG	180	15,0	8,70	3,3 m	2724	M+S
		ITG	190	16,0	10,47	3,3 m	2725	M+S
		ITG	200	16,0	11,78	3,3 m	2827	M+S
		ITG	220	17,5	13,66	3,3 m	2041002	M+S
		AVON	180	13,0	24,31	10,1 m	202678412	M+S
		AVON	190	15,0	28,41	10,1 m	202678272	M+S
			GT 38	AVON	220	20,0	14,45	3,3 m
AVON	230			20,0	15,08	3,3 m	2863	3PMSF
AVON	230			20,0	46,18	10,1 m	2021013	3PMSF
AVON	240			20,0	15,62	3,3 m	2861	3PMSF
AVON	240			20,0	47,94	10,1 m	2021014	3PMSF
AVON	250			20,0	16,48	3,3 m	2859	3PMSF
AVON	260			20,0	17,34	3,3 m	2869	3PMSF
MIDAS	275			20,0	19,80	3,3 m	2031005MIDAS	3PMSF
	GT 40 A-MD			AVON	180	14,0	27,10	10,1 m
		AVON	190	15,0	28,48	10,1 m	2021020	M+S
	GT 41	AVON	250	18,5	16,69	3,3 m	22306	3PMSF
		AVON	260	18,5	17,43	3,3 m	22307	3PMSF
		AVON	275	18,5	17,35	3,1 m	202678596	3PMSF
		AVON	275	18,5	18,47	3,3 m	22308	3PMSF

Product	Manufacturer	Width (mm)	Depth (mm)	Weight (kg)	UNIT	Prod. No.	3PMSF / M+S marking
	ITG	250	21,0	18,2	3,3 m	2041005	3PMSF
	ITG	260	21,0	18,75	3,3 m	2041003	3PMSF
	ITG	270	21,0	19,51	3,3 m	2041004	3PMSF
	MIDAS	250	19,0	18,57	3,3 m	2031010MIDAS	3PMSF
	MIDAS	260	19,0	19,41	3,3 m	2031011MIDAS	3PMSF
	MIDAS	270	21,0	20,60	3,3 m	2031012MIDAS	3PMSF
	MIDAS	270	21,0	19,35	3,1 m	2031022MIDAS	3PMSF
	AVON	220	17,0	13,47	3,3 m	202678553	3PMSF
	AVON	220	17,0	40,26	10 m	29261	3PMSF
	AVON	230	17,0	13,91	3,3 m	2926	3PMSF
	AVON	230	17,0	42,41	10 m	202678554	3PMSF
	AVON	240	17,0	14,46	3,3 m	2927	3PMSF
	AVON	240	17,0	44,51	10 m	202678555	3PMSF
	AVON	250	17,0	15,59	3,3 m	2928	3PMSF
	AVON	250	17,0	46,92	10 m	202678556	3PMSF
	AVON	260	17,0	15,80	3,3 m	2996	3PMSF
	AVON	260	17,0	47,65	10 m	202678557	3PMSF
		AVON	275	20,00	18,67	3,3 m	202678603
MIDAS		260	20,50	17,88	3,3 m	2031001MIDAS	3PMSF
	AVON	230	22,0	17,02	3,3 m	2867	3PMSF
	AVON	240	22,0	17,86	3,3 m	2868	3PMSF
	AVON	250	22,0	18,29	3,3 m	2864	3PMSF
	AVON	260	22,0	19,24	3,3 m	2866	3PMSF

Product	Manufacturer	Width (mm)	Depth (mm)	Weight (kg)	UNIT	Prod. No.	3PMSF / M+S marking
	AVON	260	18,0	17,75	3,3 m	202678630	3PMSF
	AVON	275	19,0	19,49	3,3 m	202678631	3PMSF
	AVON	285	18,0	19,38	3,3 m	202678632	3PMSF
	ITG	240	20,0	17,83	3,3 m	300151	3PMSF / nastoitettava / studdable
	ITG	250	20,0	18,02	3,3 m	30015	3PMSF / nastoitettava / studdable
	ITG	260	20,0	18,63	3,3 m	30016	3PMSF / nastoitettava / studdable
	ITG	275	20,0	19,57	3,3 m	30017	3PMSF / nastoitettava / studdable
	ITG	275	20,0	18,81	3,1 m	300173	3PMSF / nastoitettava / studdable
	MIDAS	250	20,0	17,47	3,3 m	2031007MIDAS	3PMSF
	MIDAS	260	20,0	17,99	3,3 m	2031008MIDAS	3PMSF
	MIDAS	270	20,0	18,88	3,3 m	2031009MIDAS	3PMSF
	MIDAS	270	20,0	17,74	3,1 m	2031021MIDAS	3PMSF
		AVON	240	21,0	17,52	3,3 m	2418
AVON		250	21,0	18,18	3,3 m	2946	M+S
AVON		260	21,0	18,88	3,3 m	2416	M+S
AVON		280	21,0	21,48	3,3 m	22309	M+S
	AVON	200	17,0	11,64	3,3 m	202678644	3PMSF
	AVON	240	20,0	15,94	3,3 m	30023	3PMSF
	AVON	250	20,0	16,54	3,3 m	30018	3PMSF
	AVON	260	20,0	16,95	3,3 m	30019	3PMSF
	AVON	260	20,0	15,92	3,1 m	202678597	3PMSF
	AVON	275	20,0	18,40	3,3 m	30010	3PMSF
	AVON	275	20,0	17,29	3,1 m	202678598	3PMSF

	Product	Manufacturer	Width (mm)	Depth (mm)	Weight (kg)	UNIT	Prod. No.	3PMSF / M+S marking
	GT 63W	AVON	295	14,0	16,02	3,3 m	2021002	M+S
		MIDAS	295	15,0	18,82	3,3 m	2031002MIDAS	
		MIDAS	320	14,5	18,00	3,3 m	2031003MIDAS	
	GT 64	GOODWAY	340	30,0	40,00	4,5 m	30033	
		MIDAS	270	32,0	26,90	3,3 m	2031006MIDAS	
	GT 70	ITG	120	14,0	7,12	3,3 m	2742	
		ITG	135	16,0	8,10	3,3 m	2759	
		ITG	145	16,0	8,30	3,3 m	2760	
		ITG	160	16,0	9,15	3,3 m	2972	
		ITG	180	17,0	10,64	3,3 m	2973	
		ITG	200	17,0	12,25	3,3 m	2974	
		ITG	215	19,0	15,89	3,3 m	2975	
		ITG	230	19,0	18,27	3,3 m	2976	
	K19 TECH	KRAIBURG	295	13,00	14,70	3,25 m	20511630700	
		KRAIBURG	320	13,00	16,50	3,44 m	20511631100	
		KRAIBURG	320	13,00	49,20	10,42 m	20511631000	
		KRAIBURG	335	13,00	14,80	3,04 m	20512884900	
		KRAIBURG	335	13,00	49,14	9,99 m	20511631800	
		KRAIBURG	370	13,00	15,90	2,86 m	20511633500	
		KRAIBURG	295	13,00	45,70	9,97 m	20511630500	
		KRAIBURG	370	13,00	55,90	9,96 m	20511633400	
		KRAIBURG	390	13,00	17,20	2,91 m	20511634300	

	Product	Manufacturer	Width (mm)	Depth (mm)	Weight (kg)	UNIT	Prod. No.	3PMSF / M+S marking
	K204 TECH	KRAIBURG	260	20,00	18,50	3,27 m	20512776600	3PMSF
		KRAIBURG	275	20,00	59,60	10,16 m	20512776000	3PMSF
	K213 TECH	KRAIBURG	180	15,00	32,10	10,18 m	20512565100	3PMSF / nastoitettava / studdable
		KRAIBURG	190	15,00	34,70	10,2 m	20512581600	3PMSF / nastoitettava / studdable
		KRAIBURG	220	16,50	43,30	10,15 m	20512590900	3PMSF / nastoitettava / studdable
		KRAIBURG	250	19,50	17,30	3,28 m	20512865500	3PMSF / nastoitettava / studdable
		KRAIBURG	260	19,50	18,20	3,25 m	20512881700	3PMSF / nastoitettava / studdable
		KRAIBURG	270	19,50	17,70	3,07 m	20512890300	3PMSF / nastoitettava / studdable
	K225 BASE	KRAIBURG	250	21,50	19,80	3,28 m	20512794900	3PMSF
		KRAIBURG	260	21,50	20,00	3,25 m	20512859600	3PMSF
		KRAIBURG	270	21,50	20,50	3,23 m	20513201200	3PMSF
		KRAIBURG	270	21,50	65,00	10,12 m	20512300600	3PMSF
		KRAIBURG	280	21,50	21,80	3,27 m	20513213800	3PMSF
	K32 TECH	KRAIBURG	265	14,50	44,20	10,06 m	20511637200	3PMSF
		KRAIBURG	295	14,50	15,40	3,23 m	20511639100	3PMSF
		KRAIBURG	320	14,50	58,00	10,49 m	20511640000	3PMSF
	K32 ECON	KRAIBURG	295	14,50	48,50	9,96 m	20511900800	3PMSF
		KRAIBURG	320	14,50	58,10	10,49 m	20512747200	3PMSF
	K48 TECH	KRAIBURG	260	21,00	62,30	10,05 m	20512201400	M+S
		KRAIBURG	270	21,00	67,90	10,05 m	20512201000	M+S

	Product	Manufacturer	Width (mm)	Depth (mm)	Weight (kg)	UNIT	Prod. No.	3PMSF / M+S marking
	K63 BASE	KRAIBURG	270	26,00	28,90	3,32 m	20513113200	
		KRAIBURG	280	26,00	30,40	3,3 m	20513118200	
	K66 BASE	KRAIBURG	240	32,00	27,60	3,42 m	20513121900	
	K660 BASE	KRAIBURG	240	30,00	29,20	3,42 m	20513122000	
	K71 BASE	KRAIBURG	370	23,50	35,20	3,55 m	20513201400	
	K818 TECH	KRAIBURG	305W	14,00	17,50	3,27 m	20513136500	3PMSF
		W=with wing	KRAIBURG	320W	13,50	17,20	3,07 m	20513136800
		KRAIBURG	360W	14,00	62,60	9,63 m	20513146000	3PMSF
		KRAIBURG	380	14,00	64,50	9,6 m	20513144200	3PMSF
		KRAIBURG	390	14,00	63,10	9,86 m	20513155300	3PMSF

Product	Manufacturer	Width (mm)	Depth (mm)	Weight (kg)	UNIT	Prod. No.	3PMSF / M+S marking
Välikerroskumi / Cushion rubber							
	KRAIBURG	25	1,0	10,50	factory cut	2091002	
	KRAIBURG	35	1,0	10,20	factory cut	2091001	
	KRAIBURG	245	1,0	10,20	pkt / 2 rl	20916500	
	KRAIBURG	255	1,0	10,70	pkt / 2 rl	22596	
	KRAIBURG	265	1,0	11,10	pkt / 2 rl	22597	
	GOODYEAR	265	1,0	14,75	box / 1 rl	210678583	
	KRAIBURG	275	1,0	11,50	pkt / 2 rl	22598	
	GOODYEAR	275	1,0	15,15	box / 1 rl	210678584	
	KRAIBURG	285	1,0	11,90	pkt / 2 rl	22599	
	GOODYEAR	285	1,0	15,75	box / 1 rl	210678585	
	KRAIBURG	300	1,0	12,50	pkt / 2 rl	2091007	
	GOODYEAR	305	1,0	17,10	box / 1 rl	210678633	
	KRAIBURG	345	1,0	7,20	pkt / 1 rl	2091003	
	KRAIBURG	385	1,0	8,09	pkt / 1 rl	20913179200	
	KRAIBURG	395	1,0	8,20	pkt / 1 rl	2091004	
	KRAIBURG	410	1,0	8,50	pkt / 1 rl	2091005	
	KRAIBURG	500	1,0	10,50	pkt / 1 rl	20914026100	
KRAIBURG	1 040	1,0	21,80	pkt / 1 rl	2259		
Reunanauha / Sidewall veneer for precure retreading							
	KRAIBURG	520	1,0	1,00	eur/kg	215742700	
Liima / Cement							
	spray 10%	KRAIBURG		17,00	astia/can	2261	
	brush 17%	KRAIBURG		17,00	astia/can	22611	
Kuminaru / Extruder rubber							
		ITG		10,00	laatikko/box	28071	
		KRAIBURG		10,00	laatikko/box	28072	
Korjauskumi kulutuspinnaan / Tread repairing rubber							
		KRAIBURG	20mm wide	6mm thick	10,50	laatikko/box	209129957
Rengasmaali / Tyre paint							
	Water based	TEKNOS		20,00	astia/can	2808	



Product	Manufacturer	Width (mm)	Depth (mm)	Weight (kg)	UNIT	Prod. No.	3PMSF / M+S marking
Muovi / Polyfilm							
	KRAIBURG	350		8,20	roll	60275800	
	KRAIBURG	450		10,00	roll	60275900	